**Date:** 09/08/2017

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008

(CLP) & 453/2010

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

.1 Product identifier

Product Name / Product Number GANSAI TAMBI Pearl Colors

/ MC20PC6V

CAS No. Mixture. EINECS No. Mixture.

1.2 Relevant identified uses of the substance or mixture and

uses advised against

Identified Use(s)DrawingUses Advised AgainstNone known.

1.3 Details of the supplier of the safety data sheet

Company Identification KURETAKE CO., LTD.

576 Minamikyobate-cho, 7-chome, Nara-shi, 630-8670, Japan

 Telephone
 +81- 742-50-2055

 Fax
 +81- 742-50-2077

E-Mail (competent person) kuretake@kuretake.co.jp (Technician of Lab.)

Emergency telephone number +81-742-50-2055 [9:00 – 17:00 JST (GMT+9)].

Languages spoken Japanese

## **SECTION 2: HAZARDS IDENTIFICATION**

2.1 Classification of the substance or mixture

2.1.1 Regulation (EC) No. 1272/2008 (CLP) Not classified as hazardous

2.2 Label elements

Product Name GANSAI TAMBI Pearl Colors

Hazard Pictogram(s)None.Signal Word(s)None.Hazard Statement(s)None.Precautionary Statement(s)None.

2.3 Other hazards EUH208 Contains 1,2-benzisothiazol-3(2H)-one and 2-octyl-2H-

isothiazol-3-one. May produce an allergic reaction.

## **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

## 3.1 Substances Not applicable

3.2 Mixtures Substances in preparations / mixtures

EC Classification Regulation (EC) No. 1272/2008 (CLP)

Chemical identity of the substance	%W/W	CAS No.	EC No.	REACH Registration No.	Hazard Statement(s)
Titanium dioxide	≦ 20	13463-67-7	236-675-5	None assigned.	Not Classified.
Resin (Water-soluble)	≦ 80	-	-	None assigned.	Not Classified.
1,2-benzisothiazol-3(2H)-one	< 0.03	2634-33-5	220-120-9	None assigned.	Acute Tox. 4: H302 Skin Irrit. 2: H315 Skin Sens.1: H317 Eye Dam. 1: H318 Aquatic Acute 1: H400
2-octyl-2H-isothiazol-3-one	< 0.01	26530-20-1	247-761-7	None assigned.	Acute Tox. 4: H302 Acute Tox. 3: H311 Acute Tox. 3: H331 Skin Corr. 1B: H314 Skin Sens.1: H317 Aquatic Acute 1: H400 Aquatic Chronic 1: H410

## 3.3 Additional Information

For full text of H/P phrases see section 16.

KURETAKE CO., LTD. SDS No. EUSD146-1-2

Date: 09/08/2017

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008

(CLP) & 453/2010

#### **SECTION 4: FIRST AID MEASURES**

## Description of first aid measures

Inhalation Skin Contact Remove the victim to the fresh air area. If feel bad, see a doctor.

Put off the all polluted clothes immediately. Clean with the proper temp. and slow flowing water for over 15 minutes. If have irritate the skin, see a doctor. Call a doctor if feel bad. Before re-use the put off clothes, clean it up and remove the pollution.

Eye Contact

Put off the contacts if possible, and continue to clean. Clean the eyes carefully for a few minutes. If the eyes get this product, clean the eye immediately and wash away completely. If the cleaning eyes not enough, it may cause irreversible eve damage.

If irritate to the eyes continue, see a doctor.

Ingestion

Expected acute symptom and late symptom

Call a doctor, if feel bad. Rinse the mouth out. Do not have the victim vomit. Sialorrhea, face flash, cough, dizzy, lethargy, headache, sore throat,

deliquim animi barf, vomition

Cylindrical pouring water.

4.2 Most important symptoms and effects, both acute and delayed No data

4.3 Indication of any immediate medical attention and special treatment needed

Rescuer must wear proper protective equipment according to the situation. Symptom will appear later, so that if the patient exposed excessively, it needs medical follow progress.

## **SECTION 5: FIRE-FIGHTING MEASURES**

## **Extinguishing media**

5.2

Suitable Extinguishing Media

Small fire / Carbon dioxide, dry chemical extinguishing media, water spray, alcoholic resistance foam.

Water spray, mist water, alcoholic resistance form.

Unsuitable extinguishing Media

Special hazards arising from the substance or mixture

The irritative, toxicity and corrosive gas is generated by fire. The container will be burst by heating. If it is not dangerous, move the container from the

fire area.

If it is impossible to move, cool the container and around by spraying water. After extinguishing a fire, cool the container completely by large quantity of water.

Advice for fire-fighters 5.3

For fighting fire, wear compressed air open-circuit SBCA and protect equipment for chemical. Fight a fire from up wind.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures

The worker must wear proper protector (refer to section 8) not to get the paint on the skin or into eyes. Do not touch the leakage material or walk

Keep the proper distance in all direction as the leakage area immediately. No unauthorized entry. If leakage but not occur a fire, wear the occlusive and impervious protect wear. Stay in the wind. Move away from the low ground.

Ventilate before enter the sealed area.

**Environmental precautions** 6.2

Prevent from influx into the drain ditch, sewer, basement and closed area. Take notice not to affect the environment by discharge the paint into the river.

Methods and material for containment and cleaning up 6.3

Collect Neutralization: In small quantity case, absorb the leakage material by dry sand and nonflammable material or collect it in the sealed type container then dispose it. In small quantity case, collect the absorbed material by clean antistatic tools. In large quantity case, yard the leakage material by mound to prevent flow out and lead it into safety area then collect it. In large quantity case, water spray lower the steam temperature but it may not inhibit combustion at the sealed area.

Containment or Depurant and Equipment: If it is not danger, stop the leakage.

Ground all equipment which need for handle the leakage material. Use steam retard foam for lower the steam concentration.

SDS No. EUSD146-1-2 KURETAKE CO., LTD.

**Date:** 09/08/2017

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008

(CLP) & 453/2010

Precaution of Second Disaster: Clear away all ignition source immediately (Do not smoking near around, forbid firework and flame).

In case large steam generating, retard it by mist spray. Call related agency and ask the help.

**6.4 Reference to other sections** See Section: 8, 13

## **SECTION 7: HANDLING AND STORAGE**

#### 7.1 Precautions for safe handling

Do the equipment measure described on the section 8 and wear protector. Do the local exhaust ventilation and whole ventilation described on section 8.

Prevent leakage the liquid and steam as possible.

This product irritate the eyes so that care not to get it into the eyes. This product may cause sleep or vertigo, irritate the apparatus respiratorius and damage organ parts so that do not touch, inhale and swallow it. Do not fall, drop, shock or drag the container. Clean hands well after use this product.

Use this product outside or well ventilated area only. Avoid touching, refer to the section10.

Keep away from high temperature materials spark and fire, and avoid touching oxidizer and organic peroxide.

## 7.2 Conditions for safe storage, including any incompatibilities

Storage

Keep the container airtight and stock it in well ventilated place. Stock in the fulfilled and ventilated and cool place. Keep away from oxidant. Keep away from direct sunlight and fire. The inventory location must be fire-proof construction and the floor must be impermeable to prevent permeate the basement and spill to outside. Lock up the container.

Dangerous goods if mixed: Refer to the section 10.

Container material: Use the container regulated by fire law and UN

transportation law. See Section: 1.2

7.3 Specific end use(s)

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters

**Occupational Exposure Limits** 

Name	ACGIH (TLV)		
Titanium dioxide	TWA 10mg/m <sup>3</sup> (2009)		
Resin (Water-soluble)	-		
1,2-benzisothiazol-3(2H)-one	-		
2-octyl-2H-isothiazol-3-one	-		

8.1.2 Biological limit value

8.1.3 PNECs and DNELs

8.2 Exposure controls

8.2.1 Appropriate engineering controls

o.z.; Appropriate originooring controls

8.2.2 Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection Skin protection No data No data

Install the eye washing devices and safety shower where handle or stock this product.

Wear proper respiratory protect equipment such as gas mask for organic gas (if high concentration, wear air-supplied respirator).

Check the protect equipment regularly with check sheet. Wear the eye protector designated by manufacturer.

Wear the gloves designated by manufacturer.

Wear protect boots, oil resistant apron (impermeable and antistatic) and protect clothes (antistatic) designated by manufacturer.

Clean hands well after use this product.

8.2.3 Environmental Exposure Controls

No data

KURETAKE CO., LTD. SDS No. EUSD146−1−2

Date: 09/08/2017

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008

(CLP) & 453/2010

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

## Information on basic physical and chemical properties

Appearance Solid Odour Odourless Odour Threshold No data Ηα No data Melting Point/Freezing Point No data Initial boiling point and boiling range No data Flash Point No data **Evaporation Rate** No data Flammability (solid, gas) No data Upper/lower flammability or explosive limits No data Vapour pressure No data Vapour density No data Relative density No data Solubility(ies) No data Partition coefficient: n-octanol/water No data Auto-ignition temperature No data **Decomposition Temperature** No data Viscosity No data Explosive properties No data Oxidising properties No data Other information

9.2

No data Specific gravity (20°C)

## **SECTION 10: STABILITY AND REACTIVITY**

No data Reactivity 10.1

10.2 Chemical stability Under usually storage condition, it is stable.

Possibility of hazardous reactions 10.3 No data Conditions to avoid No data Incompatible materials No data

Hazardous decomposition product(s) Generates harmful gas such as carbon monoxide and carbon dioxide.

## **SECTION 11: TOXICOLOGICAL INFORMATION**

## Information on toxicological effects (Substances in preparations / mixtures)

**Acute toxicity** Not Classified. Ingestion Not Classified. Inhalation Not Classified. Skin Contact Not Classified. Skin corrosion/irritation Not Classified. Serious eye damage/irritation Not Classified. Not Classified. Respiratory or skin sensitization Not Classified. Germ cell mutagenicity Not Classified. Carcinogenicity Not Classified. Reproductive toxicity STOT - single exposure Not Classified. STOT - repeated exposure Not Classified. Aspiration hazard Not Classified.

## Other information

Name	IARC	OTHER	
Titanium dioxide	2B	LD50(oral, rat) > 20000mg/kg	
Resin (Water-soluble)	-	No data	
1,2-benzisothiazol-3(2H)-one	-	LD50(oral, rat) 900 - 1200mg/kg	
2-octyl-2H-isothiazol-3-one		LD50(oral, rat) 355 - 794mg/kg	

KURETAKE CO., LTD. SDS No. EUSD146-1-2

**Date:** 09/08/2017

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008

(CLP) & 453/2010

SEC	TION 12: ECOLOGICAL INFORMATION				
12.1	Toxicity	No data			
12.2	Persistence and degradability	No data			
12.3	Bioaccumulative potential	No data			
12.4	Mobility in soil	No data			
12.5	Results of PBT and VPVB assessment	No data			
12.6	Other adverse effects	None known.			
SEC	TION 13: DISPOSAL CONSIDERATIONS				
13.1	Waste treatment methods		w the related regulation and standard of ed industrial waste disposal company or		
			with waste liquid directly or mix with ty to burn. Activated sludge process.		
13.2	Additional Information	Polluted container and package: Clean the container and recycle or treat in accordance with the related regulation or local governments. If dispose the container, remove the content completely.			
SEC	TION 14: TRANSPORT INFORMATION				
14.1	UN number	Not applicable.			
14.2	UN proper shipping name	Not applicable.			
14.3	Transport hazard class(es)	Not applicable.			
14.4	Packing group	Not applicable.			
14.5	Environmental hazards	Not applicable.			
14.6	Special precautions for user	See Section: 2			
14.7	Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.			
14.8	Additional Information	Common: Please follow the section7. Check if there are no leakage from container and take cargo without falling, dropping and damage.			
		Land Transportation: In case of fall under the Fire Law, Industrial Safety and Health Law, Poisonous Material Control Law follow each relevant mode of transportation.			
		Marine Transportation: Please foll Air Transportation: Please follow t	ow the Law for Safety of Vessel. he Aviation Law and regulation of ICAO.		
SEC	TION 15: REGULATORY INFORMATION				
15.1	Safety, health and environmental regulations/legislation specific for the substance or mixture	Regulatory information with regard to this substance in your country or region should be examined by your own responsibility			
15.1.1	1 EU regulations				
	Authorisations and/or Restrictions On Use	Not applicable.			
	CoRAP Substance Evaluation	Not applicable.			
15.1.2	2 National regulations	Outline of Hazardous Material Reg	-		
	Japan	Industrial Safety and Health Law:			
		Fire Law:	N/A		
		Law for Safety of Vessel:	N/A		
45.5	Observiced Option Assessment	Aviation Law:	N/A		
15.2	Chemical Safety Assessment	Not applicable.			

KURETAKE CO., LTD. SDS No. EUSD146-1-2

**Date:** 09/08/2017

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008

(CLP) & 453/2010

## **SECTION 16: OTHER INFORMATION**

The following sections contain revisions or new statements: 1-16.

#### References:

Raw material manufacturer SDS

Table 3.1 of Annex VI to the CLP Regulation

#### **LEGEND**

TLV Threshold Limit Value
DNEL Derived No Effect Level

PNEC PNEC Predicted No Effect Concentration
PBT Persistent, Bioaccumulative and Toxic
vPvB very Persistent and very Bio-accumulative

Acute Tox.3 Acute Toxicity - Oral Category 3
Acute Tox.4 Acute Toxicity - Oral Category 4

Skin Corr.1B Skin Corrosion / Skin Irritation Category 1B
Skin Irrit.2 Skin Corrosion / Skin Irritation Category 2
Eye Dam.1 Eye Damage / Eye Irritation Category 1

Skin Sens.1 Sensitization - Skin Category 1

Aquatic Acute 1 Hazardous to the Aquatic Environment - Acute Hazard 1
Aquatic Chronic 1 Hazardous to the Aquatic Environment - Chronic Hazard 1

H225 Highly flammable liquid and vapour

H302 Harmful if swallowed

H314 Causes severe skin burns and eye damage

H315 Causes skin irritation

H317 May cause an allergic skin reaction
H318 Causes serious eye damage
H319 Causes serious eye irritation
H400 Very toxic to aquatic life

H410 Very toxic to aquatic life with long-lasting effects

Training advice: Consideration should be given to the work procedures involved and the potential extent of exposure as they may determine whether a higher level of protection is required.

#### **Disclaimers**

The description content of this data sheet is based on the documentation, information and data that we can garner at the present moment so that it might be change depend on new information. And it is recommend for usual handling so that in case of special handling, use it before take safety measure that suitable for your application and usage.

The description content is information service and not certification.

#### Annex to the extended Safety Data Sheet (eSDS)

Not available.

KURETAKE CO., LTD. SDS No. EUSD146-1-2