

# SAFETY DATA SHEET

GANSAI TAMBI Gem Colors SDS 1/6

Date: 09/08/2017

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

|  |   |
|--|---|
| <b>1.1 Product identifier</b>  |   |
| Product Name / Product Number  | GANSAI TAMBI "Gem Colors" 6 colors set / MC20GC/6V                              |
| CAS No.  | Mixture.  |
| EINECS No.   | Mixture.  |
| <b>1.2 Relevant identified uses of the substance or mixture and uses advised against</b> |   |
| Identified Use(s)  | Drawing   |
| Uses Advised Against   | None known.   |
| <b>1.3 Details of the supplier of the safety data sheet</b>                              |   |
| Company Identification   | KURETAKE CO., LTD.<br>576 Minamikyobate-cho, 7-chome, Nara-shi, 630-8670, Japan |
| Telephone  | +81- 742-50-2055  |
| Fax  | +81- 742-50-2077  |
| E-Mail (competent person)  | kuretake@kuretake.co.jp (Technician of Lab.)                                    |
| <b>1.4 Emergency telephone number</b>  | +81-742-50-2055 [9:00 – 17:00 JST (GMT+9)].                                     |
| Languages spoken   | Japanese  |

## SECTION 2: HAZARDS IDENTIFICATION

|   |   |
|---|---|
| <b>2.1 Classification of the substance or mixture</b> |   |
| <b>2.1.1 Regulation (EC) No. 1272/2008 (CLP)</b>      | Not classified as hazardous   |
| <b>2.2 Label elements</b>                             |   |
| Product Name  | GANSAI TAMBI "Gem Colors" 6 colors set  |
| Hazard Pictogram(s)                                   | None.   |
| Signal Word(s)  | None.   |
| Hazard Statement(s)                                   | None.   |
| Precautionary Statement(s)                            | None.   |
| <b>2.3 Other hazards</b>                              | Contains 1,2-benzisothiazol-3(2H)-one and 2-octyl-2H-isothiazol-3-one.<br>May produce an allergic reaction. |

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances Not applicable

3.2 Mixtures Substances in preparations / mixtures

EC Classification Regulation (EC) No. 1272/2008 (CLP)

| Chemical identity of the substance | %W/W    | CAS No.    | EC No.    | REACH Registration No. | Hazard Statement(s)  |
|------------------------------------|---------|------------|-----------|------------------------|--|
| Mica                               | 10 - 60 | 12001-26-2 | 310-127-6 | None assigned.         | Not Classified.  |
| Titanium dioxide                   | ≤ 20    | 13463-67-7 | 236-675-5 | None assigned.         | Not Classified.  |
| Iron oxide                         | ≤ 20    | 1309-37-1  | 215-168-2 | None assigned.         | Not Classified.  |
| Tin oxide                          | ≤ 0.5   | 18282-10-5 | 242-159-0 | None assigned.         | Not Classified.  |
| Resin (Water-soluble)              | ≤ 60    | -          | -         | None assigned.         | Not Classified.  |
| 1,2-benzisothiazol-3(2H)-one       | < 0.03  | 2634-33-5  | 220-120-9 | None assigned.         | Acute Tox. 4: H302<br>Skin Irrit. 2: H315<br>Skin Sens.1: H317<br>Eye Dam. 1: H318<br>Aquatic Acute 1: H400  |
| 2-octyl-2H-isothiazol-3-one        | < 0.01  | 26530-20-1 | 247-761-7 | None assigned.         | Acute Tox. 4: H302<br>Acute Tox. 3: H311<br>Acute Tox. 3: H331<br>Skin Corr. 1B: H314<br>Skin Sens.1: H317<br>Aquatic Acute 1: H400<br>Aquatic Chronic 1: H410 |

3.3 Additional Information

For full text of H/P phrases see section 16.

# SAFETY DATA SHEET

GANSAI TAMBI Gem Colors SDS 2/6

Date: 09/08/2017

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008  
(CLP) & 453/2010

## SECTION 4: FIRST AID MEASURES

### 4.1 Description of first aid measures

Inhalation

Remove the victim to the fresh air area. If feel bad, see a doctor.

Skin Contact

Put off the all polluted clothes immediately. Clean with the proper temp. and slow flowing water for over 15 minutes. If have irritate the skin, see a doctor. Call a doctor if feel bad. Before re-use the put off clothes, clean it up and remove the pollution.

Eye Contact

Put off the contacts if possible, and continue to clean. Clean the eyes carefully for a few minutes. If the eyes get this product, clean the eye immediately and wash away completely. If the cleaning eyes not enough, it may cause irreversible eye damage.  
If irritate to the eyes continue, see a doctor.

Ingestion

Call a doctor, if feel bad. Rinse the mouth out. Do not have the victim vomit.

Expected acute symptom and late symptom

Sialorrhea, face flash, cough, dizzy, lethargy, headache, sore throat, deliquim animi barf, vomition

### 4.2 Most important symptoms and effects, both acute and delayed

No data

### 4.3 Indication of any immediate medical attention and special treatment needed

Rescuer must wear proper protective equipment according to the situation. Symptom will appear later, so that if the patient exposed excessively, it needs medical follow progress.

## SECTION 5: FIRE-FIGHTING MEASURES

### 5.1 Extinguishing media

Suitable Extinguishing Media

Small fire / Carbon dioxide, dry chemical extinguishing media, water spray, alcoholic resistance foam.

Water spray, mist water, alcoholic resistance form.

Unsuitable extinguishing Media

Cylindrical pouring water.

### 5.2 Special hazards arising from the substance or mixture

The irritative, toxicity and corrosive gas is generated by fire. The container will be burst by heating. If it is not dangerous, move the container from the fire area.

If it is impossible to move, cool the container and around by spraying water. After extinguishing a fire, cool the container completely by large quantity of water.

### 5.3 Advice for fire-fighters

For fighting fire, wear compressed air open-circuit SBCA and protect equipment for chemical. Fight a fire from up wind.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures

The worker must wear proper protector (refer to section 8) not to get the paint on the skin or into eyes. Do not touch the leakage material or walk into it.

Keep the proper distance in all direction as the leakage area immediately. No unauthorized entry. If leakage but not occur a fire, wear the occlusive and impervious protect wear. Stay in the wind. Move away from the low ground.

Ventilate before enter the sealed area.

### 6.2 Environmental precautions

Prevent from influx into the drain ditch, sewer, basement and closed area. Take notice not to affect the environment by discharge the paint into the river.

### 6.3 Methods and material for containment and cleaning up

Collect Neutralization: In small quantity case, absorb the leakage material by dry sand and nonflammable material or collect it in the sealed type container then dispose it. In small quantity case, collect the absorbed material by clean antistatic tools. In large quantity case, yard the leakage material by mound to prevent flow out and lead it into safety area then collect it. In large quantity case, water spray lower the steam temperature but it may not inhibit combustion at the sealed area.

Containment or Depurant and Equipment: If it is not danger, stop the leakage.

Ground all equipment which need for handle the leakage material. Use steam retard foam for lower the steam concentration.

# SAFETY DATA SHEET

GANSAI TAMBI Gem Colors SDS 3/6

Date: 09/08/2017

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008  
(CLP) & 453/2010Precaution of Second Disaster: Clear away all ignition source immediately  
(Do not smoking near around, forbid firework and flame).In case large steam generating, retard it by mist spray. Call related agency  
and ask the help.

See Section: 8, 13

## 6.4 Reference to other sections

## SECTION 7: HANDLING AND STORAGE

### 7.1 Precautions for safe handling

Do the equipment measure described on the section 8 and wear protector.  
Do the local exhaust ventilation and whole ventilation described on section  
8.

Prevent leakage the liquid and steam as possible.

This product irritate the eyes so that care not to get it into the eyes. This  
product may cause sleep or vertigo, irritate the apparatus respiratorius and  
damage organ parts so that do not touch, inhale and swallow it. Do not fall,  
drop, shock or drag the container. Clean hands well after use this product.Use this product outside or well ventilated area only. Avoid touching, refer  
to the section10.Keep away from high temperature materials spark and fire, and avoid  
touching oxidizer and organic peroxide.

### 7.2 Conditions for safe storage, including any incompatibilities

Storage

Keep the container airtight and stock it in well ventilated place. Stock in the  
fulfilled and ventilated and cool place. Keep away from oxidant. Keep away  
from direct sunlight and fire. The inventory location must be fire-proof  
construction and the floor must be impermeable to prevent permeate the  
basement and spill to outside. Lock up the container.

Dangerous goods if mixed: Refer to the section 10.

Container material: Use the container regulated by fire law and UN  
transportation law.

See Section: 1.2

### 7.3 Specific end use(s)

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters

#### Occupational Exposure Limits

| Name                         | ACGIH (TLV)                    |
|------------------------------|--------------------------------|
| Mica                         | -                              |
| Titanium dioxide             | TWA 10mg/m <sup>3</sup> (2009) |
| Iron oxide                   | TWA 5mg/m <sup>3</sup> (2005)  |
| Tin oxide                    | -                              |
| Resin (Water-soluble)        | -                              |
| 1,2-benzisothiazol-3(2H)-one | -                              |
| 2-octyl-2H-isothiazol-3-one  | -                              |

#### 8.1.2 Biological limit value

No data

#### 8.1.3 PNECs and DNELs

No data

### 8.2 Exposure controls

#### 8.2.1 Appropriate engineering controls

Install the eye washing devices and safety shower where handle or stock  
this product.

#### 8.2.2 Individual protection measures, such as personal protective equipment (PPE)

Wear proper respiratory protect equipment such as gas mask for organic  
gas (if high concentration, wear air-supplied respirator).

Check the protect equipment regularly with check sheet.

Eye/face protection

Wear the eye protector designated by manufacturer.

Skin protection

Wear the gloves designated by manufacturer.

Wear protect boots, oil resistant apron (impermeable and antistatic) and  
protect clothes (antistatic) designated by manufacturer.

Clean hands well after use this product.

#### 8.2.3 Environmental Exposure Controls

No data

# SAFETY DATA SHEET

GANSAI TAMBI Gem Colors SDS 4/6

Date: 09/08/2017

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008  
(CLP) & 453/2010

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

|  |           |
|--|-----------|
| Appearance                                   | Solid     |
| Odour  | Odourless |
| Odour Threshold                              | No data   |
| pH   | No data   |
| Melting Point/Freezing Point                 | No data   |
| Initial boiling point and boiling range      | No data   |
| Flash Point                                  | No data   |
| Evaporation Rate                             | No data   |
| Flammability (solid, gas)                    | No data   |
| Upper/lower flammability or explosive limits | No data   |
| Vapour pressure                              | No data   |
| Vapour density                               | No data   |
| Relative density                             | No data   |
| Solubility(ies)                              | No data   |
| Partition coefficient: n-octanol/water       | No data   |
| Auto-ignition temperature                    | No data   |
| Decomposition Temperature                    | No data   |
| Viscosity                                    | No data   |
| Explosive properties                         | No data   |
| Oxidising properties                         | No data   |

### 9.2 Other information

|                         |         |
|-------------------------|---------|
| Specific gravity (20°C) | No data |
|-------------------------|---------|

## SECTION 10: STABILITY AND REACTIVITY

|      |                                    |   |
|------|------------------------------------|---|
| 10.1 | Reactivity                         | No data   |
| 10.2 | Chemical stability                 | Under usually storage condition, it is stable.                    |
| 10.3 | Possibility of hazardous reactions | No data   |
| 10.4 | Conditions to avoid                | No data   |
| 10.5 | Incompatible materials             | No data   |
| 10.6 | Hazardous decomposition product(s) | Generates harmful gas such as carbon monoxide and carbon dioxide. |

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects (Substances in preparations / mixtures)

|  |                 |
|--|-----------------|
| <b>Acute toxicity</b>                    | Not Classified. |
| Ingestion                                | Not Classified. |
| Inhalation                               | Not Classified. |
| Skin Contact                             | Not Classified. |
| <b>Skin corrosion/irritation</b>         | Not Classified. |
| <b>Serious eye damage/irritation</b>     | Not Classified. |
| <b>Respiratory or skin sensitization</b> | Not Classified. |
| <b>Germ cell mutagenicity</b>            | Not Classified. |
| <b>Carcinogenicity</b>                   | Not Classified. |
| <b>Reproductive toxicity</b>             | Not Classified. |
| <b>STOT - single exposure</b>            | Not Classified. |
| <b>STOT - repeated exposure</b>          | Not Classified. |
| <b>Aspiration hazard</b>                 | Not Classified. |

### 11.2 Other information

| Name                         | IARC | OTHER                           |
|------------------------------|------|---------------------------------|
| Mica                         | -    | No data                         |
| Titanium dioxide             | 2B   | LD50(oral, rat) > 20000mg/kg    |
| Iron oxide                   | 3    | No data                         |
| Tin oxide                    | -    | No data                         |
| Resin (Water-soluble)        | -    | No data                         |
| 1,2-benzisothiazol-3(2H)-one | -    | LD50(oral, rat) 900 - 1200mg/kg |
| 2-octyl-2H-isothiazol-3-one  | -    | LD50(oral, rat) 355 - 794mg/kg  |

# SAFETY DATA SHEET

GANSAI TAMBI Gem Colors SDS 5/6

Date: 09/08/2017

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008  
(CLP) & 453/2010

## SECTION 12: ECOLOGICAL INFORMATION

|      |                                    |             |
|------|------------------------------------|-------------|
| 12.1 | Toxicity                           | No data     |
| 12.2 | Persistence and degradability      | No data     |
| 12.3 | Bioaccumulative potential          | No data     |
| 12.4 | Mobility in soil                   | No data     |
| 12.5 | Results of PBT and VPVB assessment | No data     |
| 12.6 | Other adverse effects              | None known. |

## SECTION 13: DISPOSAL CONSIDERATIONS

|      |                         |   |
|------|-------------------------|---|
| 13.1 | Waste treatment methods | Residue Waste: For dispose, follow the related regulation and standard of local governments. Ask the licensed industrial waste disposal company or local governments.<br><br>For Burning: Spray the incinerator with waste liquid directly or mix with flammable solvent in small quantity to burn. Activated sludge process. |
| 13.2 | Additional Information  | Polluted container and package: Clean the container and recycle or treat it in accordance with the related regulation or local governments. If dispose the container, remove the content completely.  |

## SECTION 14: TRANSPORT INFORMATION

|      | ADR/RID   | IMDG  | IATA/ICAO       |
|------|---|---|-----------------|
| 14.1 | UN number   | Not applicable.   | Not applicable. |
| 14.2 | UN proper shipping name   | Not applicable.   | Not applicable. |
| 14.3 | Transport hazard class(es)  | Not applicable.   | Not applicable. |
| 14.4 | Packing group   | Not applicable.   | Not applicable. |
| 14.5 | Environmental hazards   | Not applicable.   | Not applicable. |
| 14.6 | Special precautions for user  | See Section: 2  |                 |
| 14.7 | Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code | Not applicable.   | Not applicable. |
| 14.8 | Additional Information  | Common: Please follow the section7. Check if there are no leakage from container and take cargo without falling, dropping and damage.<br><br>Land Transportation: In case of fall under the Fire Law, Industrial Safety and Health Law, Poisonous Material Control Law follow each relevant mode of transportation.<br><br>Marine Transportation: Please follow the Law for Safety of Vessel.<br>Air Transportation: Please follow the Aviation Law and regulation of ICAO. |                 |

## SECTION 15: REGULATORY INFORMATION

|        |  |  |     |
|--------|--|--|-----|
| 15.1   | Safety, health and environmental regulations/legislation specific for the substance or mixture | Regulatory information with regard to this substance in your country or region should be examined by your own responsibility                                       |     |
| 15.1.1 | EU regulations   |  |     |
|        | Authorisations and/or Restrictions On Use  | Not applicable.  |     |
|        | CoRAP Substance Evaluation   | Not applicable.  |     |
| 15.1.2 | National regulations   | Outline of Hazardous Material Regulation in Japan.   |     |
|        | Japan  | Industrial Safety and Health Law: Notice object goods (Article 57, section 2, Enforcement regulation 18-21, appendix 9.) (Iron oxide, Titanium dioxide, Tin oxide) |     |
|        |  | Fire Law:  | N/A |
|        |  | Law for Safety of Vessel:  | N/A |
|        |  | Aviation Law:  | N/A |
| 15.2   | Chemical Safety Assessment   | Not applicable.  |     |

# SAFETY DATA SHEET

GANSAI TAMBI Gem Colors SDS 6/6

Date: 09/08/2017

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008  
(CLP) & 453/2010

## SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 1-16.

### References:

- Raw material manufacturer SDS
- Table 3.1 of Annex VI to the CLP Regulation

### LEGEND

|                   |   |
|-------------------|---|
| TLV               | Threshold Limit Value                                   |
| DNEL              | Derived No Effect Level                                 |
| PNEC              | PNEC Predicted No Effect Concentration                  |
| PBT               | Persistent, Bioaccumulative and Toxic                   |
| vPvB              | very Persistent and very Bio-accumulative               |
| Acute Tox.3       | Acute Toxicity - Oral Category 3                        |
| Acute Tox.4       | Acute Toxicity - Oral Category 4                        |
| Skin Corr.1B      | Skin Corrosion / Skin Irritation Category 1B            |
| Skin Irrit.2      | Skin Corrosion / Skin Irritation Category 2             |
| Eye Dam.1         | Eye Damage / Eye Irritation Category 1                  |
| Skin Sens.1       | Sensitization - Skin Category 1                         |
| Aquatic Acute 1   | Hazardous to the Aquatic Environment - Acute Hazard 1   |
| Aquatic Chronic 1 | Hazardous to the Aquatic Environment - Chronic Hazard 1 |
| H225              | Highly flammable liquid and vapour.                     |
| H302              | Harmful if swallowed                                    |
| H314              | Causes severe skin burns and eye damage                 |
| H315              | Causes skin irritation                                  |
| H317              | May cause an allergic skin reaction                     |
| H318              | Causes serious eye damage                               |
| H319              | Causes serious eye irritation                           |
| H400              | Very toxic to aquatic life                              |
| H410              | Very toxic to aquatic life with long lasting effects    |

Training advice: Consideration should be given to the work procedures involved and the potential extent of exposure as they may determine whether a higher level of protection is required.

### Disclaimers

The description content of this data sheet is based on the documentation, information and data that we can garner at the present moment so that it might be change depend on new information. And it is recommend for usual handling so that in case of special handling, use it before take safety measure that suitable for your application and usage.

The description content is information service and not certification.

### Annex to the extended Safety Data Sheet (eSDS)

Not available.